

RETRACTION NOTE

Open Access



# Retraction Note: Fabrication of a microfluidic device for studying the in situ drug-loading/release behavior of graphene oxide-encapsulated hydrogel beads

Sarath Chandra Veerla, Da Reum Kim and Sung Yun Yang\*

## Correction

This article [1] has been retracted by the authors due to lack of permission to use and publish the data reported. All authors agree to this retraction.

Received: 30 April 2018 Accepted: 10 May 2018

Published online: 18 May 2018

## Reference

1. Veerla SC, et al. Fabrication of a microfluidic device for studying the in situ drug-loading/release behavior of graphene oxide-encapsulated hydrogel beads. *Biomater Res.* 2018;22:7.

\* Correspondence: [sungyun@cnu.ac.kr](mailto:sungyun@cnu.ac.kr)

Department of Organic Materials Engineering, Chungnam National University, 99, Daehak-ro, Yuseong-gu, Daejeon 34134, Korea



© The Author(s). 2018 **Open Access** This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated.